

[Profile](#)[Summary](#)[Research](#)[Health](#)[Breed & Ancestry](#)[Traits](#)[← Back to health](#)


Exercise-Induced Collapse, EIC

(DNM1)

This condition affects how nerve cells send signals during intense activity. When signaling is disrupted, dogs may develop weakness or collapse during exercise, though they usually recover with rest.

Your dog's risk

About the condition



 CLEAR

Baylee is not at risk for Exercise-Induced Collapse, EIC

What does this mean for her?



Baylee doesn't have the variant we tested.

What can you do?

If your dog is affected, we recommend the following actions:

1

Talk to your vet about your dog's EIC result so you can plan safe activity levels and monitoring.

2

Avoid intense or prolonged exercise, especially in hot or humid weather, and stop activity immediately if your dog shows signs of weakness or wobbling.

3

Keep your dog cool and hydrated, and focus on short, moderate exercise sessions that don't lead to overexertion.

4

With careful management and awareness of your dog's limits, most dogs with EIC can live active, happy lives.



A genetic test is not a diagnosis for disease

Please talk to your vet about Baylee's genetic results, or if you think that she may have a health condition or disease.



Share results with your veterinarian



Was this page helpful?

[Yes](#)

[No](#)

[About the condition](#) →

**Explore Baylee's
Results**

[Profile](#)

[Summary](#)

[Health](#)

[Breed & Ancestry](#)

[Traits](#)

My Account

[Add a Dog](#)

[My Dogs](#)

[Activate Kit](#)

[Order a Kit](#)

[Messages](#)

[Settings](#)

Breeder Tools

[Breeder Profile](#)

[Matchmaker](#)

[Pair Predictor](#) **NEW!**

More

[EmbarkVet.com](#)

[Help Center](#)

[Resources & Insights](#)

[Contact Us](#)